The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-24849

Stream : Turkey Creek

Applicant : Manhard Consulting

Nicholas W Smith

2050 Finley Road, Suite 50 Lombard, IL 60148-4837

Description : A culvert crossing is proposed. Specific project information will be added to the

description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on May 15,

2008.

Location : Approximately 800' north and 1000' west of the 85th Avenue and Austin Road

intersection

near Schererville, St. John Township, Lake County

NW1/4, SW1/4, SW1/4, Section 22, T 35N, R 9W, St. John Quadrangle

Quad Code: 4108744

UTM Coordinates: Downstream 4590670 North, 462430 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-24854

Stream : Unnamed Tributary Greasy

Creek

Applicant : Speedway Conservation Club

Randy Weiss

9905 East County Road 100 North

Brownsburg, IN 46112

Description : The existing spillway serving an existing earthn dam will be widened from 63' to

approximately 73' in order to accommodate the 100% PMP event. Details of the project are contained in information and plans received at the Division of Water

on May 20, 2008.

Location : Approximately 500' North of the Greasy Creek Road stream crossing

near Beanblossom, Jackson Township, Brown County

NE¼, NE¼, SW¼, Section 6, T 9N, R 3E, Nashville Quadrangle

Quad Code: 3908622

UTM Coordinates: Downstream 4344376 North, 565367 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-24867

Stream : Big Blue River

Applicant : Wayne & Cody Terry

4719 West Old Trail Road Knightstown, IN 46148-9256

Description : Various amounts of fill are proposed to be placed within the floodway of Big Blue

River. Barns will be construction on top of the fill. Details of the project are contained in information and plans received at the Division of Water on May 30,

2008.

Location : Beginning approximately 150' north and 110' east of the State Route 140 stream

crossing and extending 375' north and 195' east

DOWNSTREAM: near Knightstown, Wayne Township, Henry County SE¹/₄, SE¹/₄, Section 33, T 16N, R 9E, Knightstown Quadrangle

Quad Code: 3908575

UTM Coordinates: Downstream 4405201 North, 626304 East

UPSTREAM:

UTM Coordinates: Upstream 4405312 North, 626359 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-24869

Stream : Sugar Creek

Applicant : Montgomery County

Brett Cating

818 North Whitlock Avenue Crawfordsville, IN 47933-1448

Description : The existing Montgomery County Bridge No. 512 carrying Lafayette Avenue over

Sugar Creek will be rehabilitated. Curbs, sidewalks, bridge drains, bituminous pavement, and approach guardrail with end treatments will be replaced. Spalling and delaminated areas of concrete will be repaired on the underside of the arch structure. Riprap will be placed at the base of the center pier to fix the scour and will also be placed along the faces of the exterior piers to prevent future scour. The length of the existing 303' 9" 3-span reinforced concrete earth filled arch bridge will remain the same. The approach road and bridge will not be raised. Details of the project are contained in information and plans received at the

Division of Water on June 2, 2008.

Location : At the Lafayette Avenue stream crossing (Montgomery County Bridge #512)

at Crawfordsville, Union Township, Montgomery County

SW¼, NE¼, NE¼, Section 31, T 19N, R 4W, Crawfordsville Quadrangle

Quad Code: 4008618

UTM Coordinates: Downstream 4433344 North, 507922 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-24876

Stream : Ohio River

Applicant : Consolidated Grain & Barge

Chuck Long 5130 Port Road

Jeffersonville, IN 47130-8410

Description : The facility is proposing to install one (1) 90' diameter by 93'-6 steel grain storage

bin. The site of the proposed steel grain bin has a current elevation of 461.0', NGVD. The bin will have a reclaim tunnel which is open at each end and the tunnel floor will have an elevation of 461.0', NGVD or higher. Details of the project are contained in information and plans received at the Division of Water on June

10, 2008.

Location : Along the west (right) bank of Ohio River at river mile 597.5

near Jeffersonville, Utica Township, Clark County

Clark Military Grant #7, Jeffersonville, IN-KY Quadrangle

Quad Code: 3808536

UTM Coordinates: Downstream 4241645 North, 616563 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-24877

Stream : St. Joseph River

Applicant : Jan Warner

11997 Riverview

Osceola, IN 46561-9319

Description : A steel sheet piling retaining wall will be constructed along 24' of the applicant's

frontage. The wall will have height of 36". The area landward of the proposed wall will be backfilled and leveled with the top of the wall. Dead men will be placed every 9' along the new wall. Details of the project are contained in information and plans received at the Division of Water on June 11, 2008 and

June 23, 2008.

Location : Beginning approximately 2650' upstream of the Bittersweet Bridge stream

crossing and continuing 100' along the left bank near Osceola, Penn Township, St. Joseph County

SW1/4, SW1/4, NW1/4, Section 8, T 37N, R 4E, Osceola Quadrangle

Quad Code: 4108661

UTM Coordinates: Downstream 4614052 North, 574921 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 4 06/26/2008 10:49 AM

Application # : PL-21052

Lake : Little Chapman Lake

Applicant : Emerson Poort

PO Box 583

Milford, IN 46542-0583

Description : A concrete seawall will be refaced with a layer of concrete across 159' of the

applicant's frontage. The reface layer will be keyed to the wall's lakeward face. A

12" layer of riprap will be placed at the base of the refaced seawall for toe

protection. Details of the project are contained in information and plans received

at the Division of Water on June 2, 2008.

Location : 175 EMS C23 Lane

near Warsaw, Plain Township, Kosciusko County

SW1/4, NE1/4, SE1/4, Section 35, T 33N, R 6E, Leesburg Quadrangle

Quad Code: 4108537

UTM Coordinates: Downstream 4569186 North, 601373 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-21053

Lake : Yellow Creek Lake

Applicant : Yellow Creek Lake Ministries

Ben Ball

6750 West 900 South Claypool, IN 46510-9285

Description : A 115' by 7' underwater beach will be constructed across 115' of the applicant's

frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water

on June 2, 2008.

Location : At the existing Indiana North Miniserial Assembly beach

near Silver Lake, Seward Township, Kosciusko County

SW¼, SE¼, SW¼, Section 27, T 31N, R 5E, Silver Lake Quadrangle

Quad Code: 4108518

UTM Coordinates: Downstream 4550597 North, 587523 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21056

Lake : South Twin Lake

Applicant : John A Humphrey

5925 North 210 West Howe, IN 46746-9452

Description : An existing railroad tie seawall will be refaced across 100' of the applicant's

frontage. The reface layer will consist of steel sheet piling installed a maximum of 6" lakeward of the toe of the existing seawall. Details of the project are contained in information and plans received at the Division of Water on June 5, 2008.

Location : 5925 North 210 West

near Howe, Van Buren Township, LaGrange County

NE14, NE14, NE14, Section 27, T 38N, R 9E, Lagrange Quadrangle

Quad Code: 4108564

UTM Coordinates: Downstream 4620602 North, 627504 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-21062

Lake : Simonton Lake

Applicant : Emerson Deford

24940 North Shore Drive Elkhart, IN 46514-8533

Description : A new steel sheet piling seawall will be constructed across 48' of the applicant's

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The existing railroad tie seawall will be completely removed. Details of the project are contained in information and plans received at the Division of

Water on June 9, 2008.

Location : 24940 North Shore Drive

near Elkhart, Osolo Township, Elkhart County

SW1/4, SW1/4, SW1/4, Section 10, T 38N, R 5E, Elkhart Quadrangle

Quad Code: 4108568

UTM Coordinates: Downstream 4623001 North, 587641 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21064

Lake : Big Barbee Lake

Applicant : John T Duncan

1507 Matter Park Road Marion, IN 46952-2032

Description : An approximate 80' by 300' existing channel will be restored to its original

condition. Muck and debris will be hydraulically dredged to a maximum depth of 8' below the legal lake level at the center of the channel and will slope uniformly to a depth of 0.5' at the shoreline. The dredge spoils will be pumped to an upland containment area for dewatering and disposal. Adequate detention time will be provided to allow suspended sediments to settle out of the decanted water before returning the water to the lake. Details of the project are contained in information

and plans received at the Division of Water on June 11, 2008.

Location : Along the channel connectiong Big Barbee Lake with Little Barbee Lake, just

south of the McKenna Road crossing

near North Webster, Tippecanoe Township, Kosciusko County

NE¼, SW¼, NE¼, Section 28, T 33N, R 7E, North Webster Quadrangle

Quad Code: 4108536

UTM Coordinates: Downstream 4571750 North, 607563 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-21065

Lake : Simonton Lake

Applicant : John Slater

51268 Channel Court Elkhart, IN 46514-8523

Description : A new steel sheet piling seawall will be constructed across 250' of the applicant's

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received

at the Division of Water on June 11, 2008.

Location : 51268 Channel Court

near Elkhart, Osolo Township, Elkhart County

NE14, SW14, NW14, Section 15, T 38N, R 5E, Elkhart Quadrangle

Quad Code: 4108568

UTM Coordinates: Downstream 4622461 North, 587866 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21066

Lake : Webster Lake

Applicant : Ronald Pearson

5574 North 200 West

Huntington, IN 46750-9779

Description : A new concrete seawall will be constructed across 53' of the applicant's frontage.

The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the

Division of Water on June 13, 2008.

Location : 61 EMS W 16A Lane

near North Webster, Tippecanoe Township, Kosciusko County

SE14, NE14, SW14, Section 12, T 33N, R 7E, North Webster Quadrangle

Quad Code: 4108536

UTM Coordinates: Downstream 4576157 North, 611763 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-21071

Lake : Lake Wawasee

Applicant : Fay R Sellers

11318 Biscayne Lane Cromwell, IN 46732-9649

Description : A new glacial stone seawall will be constructed across 50' of the applicant's

frontage. The lakeward face of the wall will be located along the lake's legal

shoreline. Details of the project are contained in information and plans received at

the Division of Water on June 16, 2008.

Location : 11318 Biscayne Lane; Lot 209 of Section One to Enchanted Hills

near Cromwell, Turkey Creek Township, Kosciusko County

SW1/4, SE1/4, SW1/4, Section 13, T 34N, R 7E, Lake Wawasee Quadrangle

Quad Code: 4108546

UTM Coordinates: Downstream 4583984 North, 611477 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21076

Lake : Winona Lake

Applicant : Mark and Charles Pinnick

39 Little Eagle Drive Warsaw, IN 46580-4625

Description : A steel sheet piling seawall will be refaced with a layer of concrete across 100' of

the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. A 12" layer of riprap will be placed at the toe of the refaced seawall for toe protection. Details of the project are contained in information and plans received

at the Division of Water on June 18, 2008.

Location : 39 Little Eagle Drive: Lot 39 of Fairlane Addition

at Winona Lake, Wayne Township, Kosciusko County

NW1/4, NW1/4, NW1/4, Section 16, T 32N, R 6E, Warsaw Quadrangle

Quad Code: 4108527

UTM Coordinates: Downstream 4565285 North, 597027 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-21078

Lake : Kuhn Lake

Applicant : Dennis Hill

11 EMS B 6 A Lane Leesburg, IN 46538

Description : A new straight concrete seawall will be constructed across 9' of the applicant's 40'

frontage. The lakeward face of the wall will be located along the lake's legal. The new seawall will replace the existing boat ramp. The new wall will connect to existing concrete seawalls on both adjacent sides. Details of the project are contained in information received electronically at the Division of Water on June 19, 2008 and in plans and information received at the Division of Water on June

23, 2008.

Location : 11 EMS B 6A Lane

near North Webster, Tippecanoe Township, Kosciusko County

SW1/4, NW1/4, NW1/4, Section 26, T 33N, R 7E, North Webster Quadrangle

Quad Code: 4108536

UTM Coordinates: Downstream 4571993 North, 609730 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21080

Lake : Sylvan Lake

Applicant : Charles F Carson

Charles F Carson 1260 Limberlost Trail

Rome City, IN 46784-9643

Description : A new seawall will be constructed across 57' of the 57' frontage of the applicant

along Sylvan Lake to deter shoreline erosion. The wall will consist of concrete which will be sloped on the lakeward side. It will be 56" high and will vary uniformly in thickness from 38" to 28" from the base to the top. It will be 16" above the normal water line. The lakeward face of the wall will be at legal shoreline. Details of the project are contained in information received electronically at the Division of Water on June 24, 2008 and in plans and

information received at the Division of Water on

Location : 1260 Limberlost Trail; Limberlost Farm Lot 2

at Rome City, Orange Township, Noble County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-21081

Lake : Hamilton Lake

Applicant : Elizabeth S Finn

235 Lane 280A Hamilton, IN 46742

Description : A temporary pier is going to be placed in Hamilton Lake in front of the

Association's property to provide access and mooring sites for members' boats. The 3' wide wooden pier will extend 150' lakeward of and perpendicular and parallel to the lake's legal shoreline. It will be supported by 3 1/2" auger poles which will be turned into the lakebed with hand held tools. Details of the project are contained in information received electronically at the Division of Water on June 24, 2008 and in plans and information received at the Division of Water on

Location : A vacant lot on the right(east) between addresses 240 LN 280A and 280 LN

280A. This is the association's access to the lake and where the pier is located

at Hamilton, Otsego Township, Steuben County

Section 36, T 36N, R 14E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

RASR010 10 06/26/2008 10:49 AM

Application # : PL-21084

Lake : Syracuse Lake

Applicant : Vince Beasley

12889 N. Eastshore Drive Syracuse, IN 46567-8463

Description : An existing concrete boatwell/seawall will be refaced across a portion of the 43'

frontage of the applicant on Syracuse Lake to prevent deterioration. The refacing will consist of re-inforced concrete which will be tied to the existing wall with re-rod. The refacing will have a maximum thickness of 12" and (will be sloped on the lakeward side. A 24" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Also, on the south side of the

boatwell, 17' of glacial stone will be added.

Details of the project are contained in information received electronically at the Division of Water on June 25, 2008 and in plans and information received at the

Division of Water on

Location : 12889 North East Shore Drive; east shore of Syracuse lake

near Syracuse, Turkey Creek Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

RASR010 11 06/26/2008 10:49 AM

Application # : PL-21085

Lake : Sylvan Lake

Applicant : Chris Schenkel

1120 Saint Marys Avenue Fort Wayne, IN 46808-3429

Description : I am applying for a permit to operate an aerator under my piers and boat lift at

1215 Hilltop Dr, Sylvan Lake. We have used an aerator for 20 years to prevent damage to our sheetpile seawall, piers and two boat lifts. We have no place to store the lifts on our property due to the hill being so steep. Our piers are tucked in to the east of Sherbondy Point, the open water caused by the aerator generally does not extend past our pier, there is no public acess to the lake near us,

Sherbondy Point also keeps snowmobilers well away from our piers. Neighbors on either side have no objections to the aerator and I will submit their approval when I have a contact and file number. I will post a warning sign at the pier. I also have picture of the open water caused by the aerator a day or two before the ice

left the lake Details of the project are contained in information received electronically at the Division of Water on June 26, 2008 and in plans and

information received at the Division of Water on

Location : 1215 Hilltop Drive

at Rome City, Orange Township, Noble County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21086

Lake : Sylvan Lake

Applicant : John E Arnold

1230 Silica Court

Fort Wayne, IN 46845-9011

Description : An existing, concrete seawall will be recapped with a new concrete seawall along

90' north bank of the lake to deter bank erosion. The new wall will be approximately 4' high, as measured from the lakebed, will have the same alignment as the existing wall, and will tie into existing seawalls located on adjacent properties located to the east/west. The seawall to be repaired runs the full length of the property on Sylvan Lake. There is a 6' wide boat slip in the seawall that will be filled in with concrete and a boat house that will be filled in with clean sand and topped with concrete level with the sea wall. Details of the project are contained in information received electronically at the Division of Water on June 26, 2008 and in plans and information received at the Division of

Water on

Location : 490 Spring Beach

at Rome City, Orange Township, Noble County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake